



# NEOS TECHNOLOGIES

A Gooch & Housego Company

## DEVICE SPECIFICATIONS

MODEL NUMBER:

**12038-3-TE**

DOCUMENT NUMBER: 56A14291C

<u>PARAMETER</u>	<u>SPECIFICATION</u>
Interactive Material	SiO <sub>2</sub>
Acoustic Mode	Longitudinal
Operating Wavelength	1.06 $\mu$ m
Window Configuration	AR "V" Coated
Static Transmission	>99 %
Operating Frequency	38 MHz $\pm$ 150 KHz
Mode spacing	300 KHz Typical
Mode Bandwidth -3dB	10 KHz approximate
Average Loss Modulation	15 % minimum with Linear Polarized Light, Perpendicular to Acoustic Propagation
Acoustic Aperture Size	3 mm
Deflection Angle	6.75 mrad
RF Power Level	<1.2 watt
Impedance	50 ohms @ Resonant Frequency
VSWR	<1.5:1 @ Resonant Frequency
Package:	53A2198
Operating Manual: Use Latest Revision.	51A02804
Acceptance Test Procedure:	42A14128
Acceptance Test Results Form:	52A02807
Recommended Driver:	11038-1ML

**For More Information, Contact:      neos@neostech.com      Ph. (321) 242-7818      Fax (321) 242-1019**