



NEOS TECHNOLOGIES

A Gooch & Housego Company

DEVICE SPECIFICATIONS

MODEL NUMBER:

23080-1-LTD

DOCUMENT NUMBER: **56A14302B**

<u>PARAMETER</u>	<u>SPECIFICATION</u>
Interactive Material	TeO ₂
Acoustic Mode	Longitudinal
Operating Wavelength	440 – 850 nm
Window Configuration	AR Coated
Static Transmission	>95 %
Operating Frequency	80 MHz
Diffraction Efficiency	>85 % @ 633 nm With Light Polarized Linear, Perpendicular to Acoustic Propagation or Random
Acoustic Aperture Size	1 mm
Rise Time	150 ns/mm Beam Diameter.
Deflection Angle	11.89 mrad @ 633 nm
RF Power Level	<1 Watt
Impedance	50 Ohms Nominal
VSWR	<1.2:1 @ 80 MHz
Package:	53B0624 TO1
Operating Manual: Use latest Revision.	51A00620
Acceptance Test Procedure:	42A12056
Acceptance Test Results form:	52A00856
Recommended Drivers:	
Analog Driver System: 21080-1AS	Digital Driver System: 21080-1DS
Analog Driver Module: 21080-1AM	Digital Driver Module: 21080-1DM

For More Information, Contact: neos@neostech.com **Ph. (321) 242-7818** **Fax (321) 242-1019**